S10	9	S7	S6	ន	22	8	S2	SI	# Ref
O	20		1166	700	2	8	0	25	Hits
("2005/0181527").URPN.	S6 and ((correcting or correct or corrected or corrects or adjust or adjusting or adjusted or adjusts or adjustment) near2 (angle or angles or angled or inclination or inclined or inclines or incline))	S5 and ((correcting or correct or corrected or corrects or adjust or adjusting or adjusted or adjusts or adjustment) near2 (angle or angles or angled or inclination or inclined or inclines or incline))	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips)))	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips)))	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) same (grating or gratings)	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) same (grating or gratings)	("2004/0190152").URPN.	("385"/\$.ccls. or "359"/\$.ccls.) and (inspection near2 (groove or grooves or channel or channels))	Search Query
USPAT	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	DBs
ይ	O _R	QR	O _R	웃	O _R	유	₽ R	OR	Default Operator
OFF	OFF	OFF	OFF	OH H	OFF	OFF	OFF	OFF	Plurals
2005/11/02 16:04	2005/11/02 16:04	2005/11/02:16:03	2005/11/02 18:16	2005/11/02:17:08	2005/11/02 16:00	2005/11/02 19:03	2005/11/02 15:56	2005/11/02:15:57	Time Stamp

S21	S20	S19	S18	S17	S16	S15	S14	S13	S12	S11
0	11	0	826	577	397	27	7	0	1	0
(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts or etch or etches or etching or etched) near3 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) and ((measuring or measures or measured or measure or monitor or monitors or monitoring or monitored or inspect or inspecting or inspection or inspects or inspected or test or tests or tested) with (feedback))	S18 and ((optical or optic) near2 (head or heads))	S17 and ((optical or optic) near2 (head or heads))	S6 and @ad<"20030110"	S5 and @pd<"20030110"	(82/1:4):CCLS.	("4602540" "4604705" "4692989" "4863321" "4883392" "4933868" "4983899" "5159741" "5178498" "5298076" "5309800" "5348431" "5361470" "5396821" "5417130" "5431514" "5506786" "5529446"). PN. OR ("5713253").URPN.	("5355252" "6128073" "6259093" "6269322" "6381023" "6384898" "6388249").PN.:OR ("6714289").URPN.	("6714289").URPN.	("6515309").PN.: OR ("6916726").URPN.	("2004/0126995").URPN.
EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	USPAT
Я	Ş	Q _R	Q _R	Q _R	S	Q _R	Q.	SR.	S	OR
OFF	양	OFF.	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2005/11/02 17:07	2005/11/02 17:04	2005/11/02 17:03	2005/11/02 16:53	2005/11/02 17:03	2005/11/02 16:43	2005/11/02 16:11	2005/11/02 16:09	2005/11/02 16:09	2005/11/02 16:08	2005/11/02 16:06

4

C:\Documents a	Search History
C:\Documents and Settings\MConnel	rch History 11/11/05 3:03:12 PM Page 3
iycushwa\My Docu	M Page 3
\MConnellycushwa\My Documents\EAST\Workspaces\10749098.wsp	
cspaces\10749098.	
.wsp	

S27	S26	83	S24	S23	S22
2	33	33	347	62	34
(((forming or form or formed or forms: or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((optical or optic) near2 (disk or disks or disc or discs))) and ((cutting or cut or cuts or etch or etches or etching or etched) near3 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))	("4423502" "4949331" "5084860" "5109373" "5199022" "5249175"). PN. OR ("5448551").URPN.	("1194294" "1591572" "3684348" "3712706" "3741623" "3924928" "3926402" "4066236" "4066331" "4095773" "4149304" "4588258" "4601861" "4775219" "4798178" "4895428" "5156863" "5429857" "5450235" "5565151" "5600484" "5614286" "5657162" "5696627" "5706132" "5734501" "5759468" "5812315" "5822121" "5837082" "5866233" "6010609").PN. OR ("6540367").URPN.	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) and (optical or optic)	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or provide or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) and (optical or optic)	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((cutting or cut or cuts or etch or etches or etching or etched) near3 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) and ((measuring or measures or measured or measure or monitor or monitors or monitoring or monitored or inspect or inspecting or inspection or inspects or inspected or test or tests or tested) with (feedback))
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
R	O _R	S	OR	9	Q _R
OF P	OFF	0	OFF	9	OFF
2005/11/02 17:30	2005/11/02 17:24	2005/11/02 17:21	2005/11/02 17:09	2005/11/02 17:09	2005/11/02 17:28

S32	<u>a</u>	S30	S29	S28
. .	25	819	L	21
(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) same ((cutting or cut or cuts) near2 (substrate or substrates or bases or wafer or wafers or carrier or carriers or chip or chips))) and (((correction or corrects or corrected or correcting or correct or adjusting or adjusted or adjusts or adjusted or adjustment or altering or alter or altered or change or changes or changing or changed) near2 (angle or angles or angled)) with (blade or cutter or cutters or cutting))	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) same ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) and (((correction or corrects or corrected or correcting or correct or adjusting or adjusted or adjusts or adjusted or adjusted or adjust or adjust or adjust or adjust or angles or change) near2 (angle or angles or angled)) with (blade or cutter or cutters or cutting))	S6 not (S24 or S27)	S27:and ((test or dummy or measurement or inspection) near2 (groove or grooves or channel or channels))	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) with ((optical or optic) near2 (disk or disks or disc or discs))) and ((cutting or cut or cuts or etch or etches or etching or etched) near3 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))
EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB
Q _R	9	Я Я	Я	S ₂
OFF	0	OFF	OFF	OFF
2005/11/02 17:43	2005/11/02 17:47	2005/11/02 17:40	2005/11/02 17:31	2005/11/02 17:40

S38	S37	S36	S35	Ž	S33
8	280	113	0	N	142
("4834480" "5037168" "5094553" "5143577" "54444805" "5526454" "6022671" "6037105").PN. OR ("6625366").URPN.	connelly-cushwa	S33 not S31	S33 not S31	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) and ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) and (((correction or corrects or corrected or correcting or correct or adjusting or adjusted or adjusts or adjusted or adjustment or altering or alter or altered or change or changes or changing or changed) near2 (angle or angles or angled)) with (blade or cutter or cutters or cutting))	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels)) and ((cutting or cut or cuts) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips))) and (((correction or corrects or corrected or correcting or correct or adjusting or adjusted or adjusts or adjusted or adjustment or altering or alter or altered or change or changes or changing or changed) near2 (angle or angles or angled)) with (blade or cutter or cutters or cutting))
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
R	Q.	Я	Q.	S	Я
OFF	OFF	OFF	OFF	Q H	OFF F
2005/11/02 18:14	2005/11/02 18:10	2005/11/02 18:10	2005/11/02 17:47	2005/11/02 17:47	2005/11/02 17:47

S44	S43	S42	S41	8	S39
6	185	97	94	2	173
((optical or optic) near2 (disk or discs or head or heads or recording)) and ((test or inspection) near2 (goove or grooves or channel or channels or trench or trenches))	((optical or optic) near2 (disk or discs or head or heads or recording)) and ((test or inspection) near2 (goove or grooves or channel or channels or trench or trenches))	inspection near2 groove	inspection near2 groove	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels or trench or trenches)) and ((cutting or cut or cuts or machine or machining or machined or machines) near3 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips or surface or surfaces))) and ((test or inspection) near2 (goove or grooves or channel or channels or trenches))	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels or trench or trenches)) and ((cutting or cut or cuts or machine or machining or machined or machines) near3 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chip or chips or surface or surfaces))) and ((test or inspection) near2 (goove or grooves or channel or channels or trench or trenches))
EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	EPO, JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
Я	<u></u>	Q	OR.	9	OR
OFF	OFF	OFF	OFF	O	OFF
2005/11/02 18:57	2005/11/02 18:57	2005/11/02 18:54	2005/11/02 18:54	2005/11/02 18:17	2005/11/02 18:29

S52	S51	S50	S49	S48	S47	\$ X
313	434	ω	865	2018	33	3
S51 and (angle or angled or angled)	(S48 or S49 or S50) and (cutting or cuts or cut)	(385/37).CCLS.	(385/37).CCLS.	(385/37).CCLS.	("4423502" "4949331" "5084860" "5109373" "5199022" "5249175"). PN. OR ("5448551").URPN.	(((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (groove or grooves or channel or channels or trench or trenches)) same ((cutting or cut or cuts or machining or machine or machines or machined) near2 (substrate or substrates or base or bases or wafer or wafers or carrier or carriers or chips or layer or layers))) and (((measure or measured or measures or measured or measures or measured or measures or measured or measures or measured or compensation or determine or inspects or inspected or inspecting or inspection) with (groove or grooves or channel or channels or trench or trenches)) same (correction or correct or corrected or correcting or compensation or or compensation or or compensation or adjusts or adjusts or adjusted or adjusting or adjustable or compensation or alters or altering or altered or change or changes or changing or changed or feedback)) ((((forming or form or formed or forms or make or making or made or machine or machines or trenches)) same ((cutting or cut or cuts or machine) or channels or trench or trenches)) same ((cutting or cut or cuts or measures or bases or bases or wafer or wafers or carrier or carriers or chip or chips or layer or layers))) and (((measure or measured or measures or measured or measures or bases or bases or wafer or wafers or carrier or carriers or chip or chips or layer or layers))) and (((measure or measured or inspecting or inspection) with (groove or grooves or channels or channels or tench or trenches)) same (correction or correct or compensate or compensate or compensate or compensate or compensation or compensate or compensate or compensation or compensate or compensation or compensation or compensation or compensation or alternor alternor or alte
USPAT	USPAT	USOCR	US-PGPUB	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR SOCR EPO; JPO; DERWENT; IBM_TDB
OR		웃	Я Э	Q	OR.	g S
OFF	OFF	Q F	OFF	OFF.	OFF	<u>ੂੰ</u>
2005/11/02 19:21	2005/11/02 19:21	2005/11/02 19:21	2005/11/02 19:21	2005/11/02 19:20	2005/11/02 19:20	2005/11/02 19:07

Search History 11/11/05 3:03:12 PM Page 7 C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10749098.wsp

Search History 11/11/05 3:03:12 PM Page 8
C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10749098.wsp

S65	S64	S63	S62	S61	S60	S59	S58	S57	856	S55	S54	S53
155	۵	1126	491	815	1225	2351	9	11	25	27	317	116
S59 and (((first) near2 (groove or grooves)) with (forming or forms or form or formed))	S59 and ((test or inspection) near2 (groove or grooves))	S59 not S60	S60 and (angle or angles or angled or angling)	S59 not S60	(369/275.4).CCLS.	((369/272.1) or (369/275.1) or (369/275.4) or (369/277)).CCLS.	369/272.1	("5444640" "5513113").PN. OR ("5740081").URPN.	("3640632" "4195250" "4514814" "4775926" "4976177" "5007006" "5019763" "5214592" "5216308" "5250865" "5315197" "5329457" "5396434" "5514924" "5525848" "5543673" "5581467" "5713253" "5739607" "5740081" "5779405" "5804900").PN. OR ("6301520").	("4602540" "4604705" "4692989" "4863321" "4883392" "4933868" "4983899" "5159741" "5178498" "5298076" "5309800" "5348431" "5361470" "5396821" "5417130" "5431514" "5506786" "5529446"). PN. OR ("5713253").URPN.	(S52 or S53)	S51 and (inclination or incline or inclined or inclining or inclines or slant or slanting or slanted or slants)
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	USPAT
Q _R	Ş	Q _R	욹	ᄋᄋᠷ	Q.	Я Я	Я	Q _R	유	Q _R	S	О _R
OFF	OFF	OFF	OFF F	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2005/11/03 11:10	2005/11/03 11:09	2005/11/03 11:06	2005/11/03 11:07	2005/11/03 11:06	2005/11/03 11:06	2005/11/03 11:05	2005/11/03 11:05	2005/11/02 19:32	2005/11/02 19:31	2005/11/02 19:30	2005/11/02 19:22	2005/11/02 19:22

S73	S72	\$71	570	89 89	S68	S67	S66
7	0	0	0	0	866	2	263
S59 and (((groove or grooves) with (characteristic or parameter or parametes or characteristics)) same ((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))	S68 and (((groove or grooves) with (characteristic or parameter or parametes or characteristics)) same ((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))	S68 and (((groove or grooves) with (inspect or inspects or inspecting or inspected or inspection)) same ((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))	S68 and (((groove or grooves) with (inspect or inspects or inspecting or inspected)) same ((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))	S68 and (((groove or grooves) with (measure or measured or measuring or measurement or measurements or measures or tests or testing or tested)) same ((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))	((700/193) or (438/42) or (82/1.4)).CCLS.	S59 and (((groove or grooves) with (measure or measured or measuring or measurement or measurements or measures or test or tests or testing or tested)) same ((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))	S59 and ((groove or grooves) with (measure or measured or measuring or measurement or measurements or measures or test or tests or testing or tested))
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
S	O _R	OR	OR	9	OR	웃	OR.
OFF	OFF	OFF	OFF	9	OFF	OFF	OFF
2005/11/03 11:15	2005/11/03 11:14	2005/11/03 11:13	2005/11/03 11:13	2005/11/03 11:13	2005/11/03 11:12	2005/11/03 11:12	2005/11/03 11:11

578	<i>\$77</i>	S76	S7.5	S74
.80	200	147	ļ.	2
(cutting or cut or cuts or etching or etched or etches or etch or machine or machined or machines) with ((test or inspection) near2 (groove or grooves or channel or channels or trench or trenches))	(cutting or cut or cuts or etching or etched or etches or etch or machine or machined or machines) with ((test or inspection) near2 (groove or grooves or channel or channels or trench or trenches))	(438/42).CCLS.	1 S68 and ((feedback) same ((forming or form or formed or forms or make or making or made or makes or create or creates or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))	S59 and ((feedback) same ((forming or form or formed or forms or make or making or made or makes or create or created or creating or creation or formation or provide or providing or provides or provided) near2 (method or methods)))
EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
Q _R	SP.	Q.	Q _R	Я Я
OFF	OFF	OFF	OFF	OFF
2005/11/03 11:23	2005/11/03:11:25	2005/11/03 11:21	2005/11/03 11:20	2005/11/03 11:16